



**RIVA RACING**  
PERFORMANCE PRODUCTS & ACCESSORIES

## Sea-Doo Spark Pro-Series Sponson Kit

**PART# - RS26130**




**APPLICATION(S):** Sea-Doo Spark (2up & 3up Models)

We strongly recommend the use of a service manual to familiarize yourself with the various components and procedures involved with this installation. These instructions have been written in step-by-step format and refer to illustrations. Read through instructions entirely before performing installation. Please follow these step-by-step instructions and illustrations carefully.

### **- INSTALLATION INSTRUCTIONS -**

Starting on the left side of the hull, remove the 3 OEM sponson bolts using a T45 Torx bit.



Install left side RIVA billet sponson backing plate to hull using 3 of the longer supplied bolts & washers. **Note:** We suggest first starting in the middle bolt position on the backing plate. ***Do not over tighten bolts.***



Install left side RIVA sponson blade onto billet backing plate using 4 of the supplied shorter bolts & washers. **Note:** We suggest first starting in the middle area bolt position on the sponson blades. **Use blue Loc-tite. Do not over tighten bolts.**



Proceed with right side sponson installation following the previous steps.

Installation is now complete.

#### **Adjusting Sponsons:**

The RIVA Racing sponsons can be adjusted to suit the rider's preference or water conditions. Both the backing plates & the blades can be raised or lowered.

Raising the blades and/or backing plates will make the handling on your Spark less aggressive.

Lowering the blades and/or backing plates will make the handling on your Spark more aggressive, resulting in improved turning/cornering.

After finding your favorite blade/backing plate position, remove sponson blade bolts one at a time and apply blue Loc-tite to threads and reinstall. **Do not over tighten bolts.**

***Remember, the water belongs to everyone.***

***Please ride responsibly and respect the environment!***

#### **Technical Support**

For answers to questions regarding installation or trouble shooting RIVA Performance Products contact: RIVA Technical Support directly at (954) 247-0705 or by e-mail at [tech\\_support@rivamotorsports.com](mailto:tech_support@rivamotorsports.com).

#### **Limited Warranty**

RIVA Pro Series Sponsons carry a 30 day limited warranty to the original purchaser. They are warranted to be free of defects in materials and workmanship under normal use and service. Customer modified components will be void of warranty. This warranty is limited to defects in the primary components only. Finish and/or wear marks in or on primary components are not covered under this warranty.

RIVA Racing's liability is expressly limited to the repair or replacement of the components contained within or associated with this kit. RIVA Racing agrees to repair or at RIVA's option, replace any defective unit without charge, if product is returned to RIVA Racing freight prepaid within the warranty period. Any equipment returned which, in RIVA's opinion, has been subjected to misuse, abuse, overheating or accident shall not be covered by this warranty.

RIVA Racing shall have no liability for special, incidental or consequential damages or injury to persons or property from any cause arising from the sale, installation or use of this product.

No other warranty, express or implied, including, but not limited to the implied warranties of merchantability and fitness for a particular purpose, applies. Various states do not allow for the limitation of incidental or consequential damages and therefore the above exclusion or limitation may not apply to you.

Warranty does not include the expenses related to freight or transportation of parts or compensation for any inconvenience or loss of use while being repaired. A copy of the original invoice and a Return Authorization Number (RA#) must accompany all warranty claims.

Warranted replacement parts will be returned freight collect.